Journal of Crystal Growth 91 (1988) 666–671
North-Holland, Amsterdam

AUTHOR INDEX

Abe, Y., see Imai 91 (1988) 617
Abels, L.L., see Shah 91 (1988) 71
Adachi, A., K. Wasa, Y. Ichikawa, K. Hirochi and K. Setsune, Superconducting thin films of Bi–Sr–Ca–Cu–O and Tl–Ba–Ca–Cu–O with T_c above 100 K 91 (1988) 352
Alvarez, G., see Matthews 91 (1988) 410
Ananth, R. and W.N. Gill, Dendritic growth with thermal convection 91 (1988) 587
Anzai, H., M. Tokumoto, K. Takahashi and T. Ishiguro, Growth of mixed crystals of (BEDT-TTF)-trihalides 91 (1988) 225
Anzlowar, M., see Levi 91 (1988) 386
Aristides, M., see Vaile 91 (1988) 450
Armstrong, A.J., see Cockayne 91 (1988) 57
Arora, S.K., T. Mathew and N.M. Batra, Growth and important properties of $CuWO_4$ single crystals (E) 91 (1988) 246
Astles, M.G., H. Hill, G. Blackmore, S. Courtney and N. Shaw, The sources and behaviour of impurities in LPE-grown (Cd,Hg)Te layers on CdTe(111) substrates 91 (1988) 1
Audino, R., see Franzosi 91 (1988) 90

Bagai, R.K., G.L. Seth and W.N. Borle, Nature of the crystallographic defects on the (111) Te surface of CdTe delineated by preferential etching 91 (1988) 605
Bailey, A., see Matthews 91 (1988) 410
Bailey, A., see Vaile 91 (1988) 450
Baird, T., P.S. Braterman, H.D. Cochrane and G. Spoors, Magnesium hydroxide precipitation as studied by gel growth methods 91 (1988) 610
Baldwin, K.W., see Levi 91 (1988) 386
Batra, N.M., see Arora 91 (1988) 246
Baughman, R.J., see Ginley 91 (1988) 456
Biefeld, R.M., C.R. Hills and S.R. Lee, Strain relief in compositionally graded $InAs_xSb_{1-x}$ buffer layers and $InAs_xSb_{1-x}$/InSb strained-layer superlattices grown by MOCVD 91 (1988) 515
Blackmore, G., see Astles 91 (1988) 1
Borel, J.-P., see Flüeli 91 (1988) 67
Borle, W.N., see Bagai 91 (1988) 605
Bosi, S., see Vaile 91 (1988) 450
Bouteloup, E., M. Hervieu, B. Mercey, H. Murray, G. Poullain, B. Raveau and T. Rouillon, Characterization of superconducting thin film growth on silicon substrates 91 (1988) 418
Brand, W., see Klee 91 (1988) 346
Braterman, P.S., see Baird 91 (1988) 610
Brattkus, K. and S.H. Davis, Directional solidification with heat losses 91 (1988) 538
Brničević, N., see Stubičar 91 (1988) 423
Broussard, P.R. and S.A. Wolf, Film growth of high transition temperature superconductors 91 (1988) 340
Budz, J.A. and G.H. Nancollas, The mechanism of dissolution of hydroxyapatite and carbonated apatite in acidic solutions 91 (1988) 490
Bykov, A.B., L.N. Demianets, I.P. Zibrov, G.V. Kanunnikov, O.K. Melnikov and S.M. Stishov, Crystallization of high temperature superconductors from non-stoichiometric melts 91 (1988) 302

Campá, J.A., J.M. Gómez de Salazar, E. Gutiérrez Puebla, M.A. Monge, I. Rasines and C. Ruíz Valero, Crystal growth of $Ba_2Cu_3RO_{7-x}$ (R = Y, Nd, Gd, Yb) 91 (1988) 334
Carim, A.H., see Kentgens 91 (1988) 355
Carlson, D.J. and A.F. Witt, Determination of free charge carrier distribution and micro-segregation of dopants in n-type GaAs 91 (1988) 239
Carlson, D.J. and A.F. Witt, Quantitative optical determination of segregation in doped silicon: a comparative analysis with spreading resistance measurements 91 (1988) 652
Cebollada, A., see De Miguel 91 (1988) 481
Chen, C., B.E. Watts, B.M. Wanklyn, P.A. Thomas and P.W. Haycock, Phase diagram and single crystal growth of $(La,Sr)_2CuO_4$ from CuO solution 91 (1988) 659
Chen, Y.C., see Huang 91 (1988) 402
Chernov, A.A., see Nai-ben Ming 91 (1988) 11
Chianese, A., Growth and dissolution of sodium perborate in aqueous solutions by using the RDC technique 91 (1988) 39
Chin, T.S., see Huang 91 (1988) 402
Chiu, K.-C., see Ouazzani 91 (1988) 497
Chou, Y.C., see Lee 91 (1988) 169
Chou, Y.H., see Huang 91 (1988) 402
Ciszek, T.F., J.P. Goral, C.D. Evans and H. Katayama-Yoshida, Crystal growth and superconducting phase formation from Bi–Ca–Sr–Cu–O liquids 91 (1988) 312
Ciszek, T.F. and C.D. Evans, A simple high-pressure furnace for liquid-encapsulated Bridgman/Stockbarger crystal growth 91 (1988) 533

Journal of Crystal Growth 91 (1988) 666–671
North-Holland, Amsterdam

AUTHOR INDEX

Abe, Y., see Imai 91 (1988) 617
Abels, L.L., see Shah 91 (1988) 71
Adachi, A., K. Wasa, Y. Ichikawa, K. Hirochi and K. Setsune, Superconducting thin films of Bi–Sr–Ca–Cu–O and Tl–Ba–Ca–Cu–O with T_c above 100 K 91 (1988) 352
Alvarez, G., see Matthews 91 (1988) 410
Ananth, R. and W.N. Gill, Dendritic growth with thermal convection 91 (1988) 587
Anzai, H., M. Tokumoto, K. Takahashi and T. Ishiguro, Growth of mixed crystals of (BEDT-TTF)-trihalides 91 (1988) 225
Anzlowar, M., see Levi 91 (1988) 386
Aristides, M., see Vaile 91 (1988) 450
Armstrong, A.J., see Cockayne 91 (1988) 57
Arora, S.K., T. Mathew and N.M. Batra, Growth and important properties of $CuWO_4$ single crystals (E) 91 (1988) 246
Astles, M.G., H. Hill, G. Blackmore, S. Courtney and N. Shaw, The sources and behaviour of impurities in LPE-grown (Cd,Hg)Te layers on CdTe(111) substrates 91 (1988) 1
Audino, R., see Franzosi 91 (1988) 90

Bagai, R.K., G.L. Seth and W.N. Borle, Nature of the crystallographic defects on the (111) Te surface of CdTe delineated by preferential etching 91 (1988) 605
Bailey, A., see Matthews 91 (1988) 410
Bailey, A., see Vaile 91 (1988) 450
Baird, T., P.S. Braterman, H.D. Cochrane and G. Spoors, Magnesium hydroxide precipitation as studied by gel growth methods 91 (1988) 610
Baldwin, K.W., see Levi 91 (1988) 386
Batra, N.M., see Arora 91 (1988) 246
Baughman, R.J., see Ginley 91 (1988) 456
Biefeld, R.M., C.R. Hills and S.R. Lee, Strain relief in compositionally graded $InAs_xSb_{1-x}$ buffer layers and $InAs_xSb_{1-x}$/InSb strained-layer superlattices grown by MOCVD 91 (1988) 515
Blackmore, G., see Astles 91 (1988) 1
Borel, J.-P., see Flüeli 91 (1988) 67
Borle, W.N., see Bagai 91 (1988) 605
Bosi, S., see Vaile 91 (1988) 450
Bouteloup, E., M. Hervieu, B. Mercey, H. Murray, G. Poullain, B. Raveau and T. Rouillon, Characterization of superconducting thin film growth on silicon substrates 91 (1988) 418
Brand, W., see Klee 91 (1988) 346
Braterman, P.S., see Baird 91 (1988) 610
Brattkus, K. and S.H. Davis, Directional solidification with heat losses 91 (1988) 538
Brničević, N., see Stubičar 91 (1988) 423
Broussard, P.R. and S.A. Wolf, Film growth of high transition temperature superconductors 91 (1988) 340
Budz, J.A. and G.H. Nancollas, The mechanism of dissolution of hydroxyapatite and carbonated apatite in acidic solutions 91 (1988) 490
Bykov, A.B., L.N. Demianets, I.P. Zibrov, G.V. Kanunnikov, O.K. Melnikov and S.M. Stishov, Crystallization of high temperature superconductors from non-stoichiometric melts 91 (1988) 302

Campá, J.A., J.M. Gómez de Salazar, E. Gutiérrez Puebla, M.A. Monge, I. Rasines and C. Ruíz Valero, Crystal growth of $Ba_2Cu_3RO_{7-x}$ (R = Y, Nd, Gd, Yb) 91 (1988) 334
Carim, A.H., see Kentgens 91 (1988) 355
Carlson, D.J. and A.F. Witt, Determination of free charge carrier distribution and micro-segregation of dopants in n-type GaAs 91 (1988) 239
Carlson, D.J. and A.F. Witt, Quantitative optical determination of segregation in doped silicon: a comparative analysis with spreading resistance measurements 91 (1988) 652
Cebollada, A., see De Miguel 91 (1988) 481
Chen, C., B.E. Watts, B.M. Wanklyn, P.A. Thomas and P.W. Haycock, Phase diagram and single crystal growth of $(La,Sr)_2CuO_4$ from CuO solution 91 (1988) 659
Chen, Y.C., see Huang 91 (1988) 402
Chernov, A.A., see Nai-ben Ming 91 (1988) 11
Chianese, A., Growth and dissolution of sodium perborate in aqueous solutions by using the RDC technique 91 (1988) 39
Chin, T.S., see Huang 91 (1988) 402
Chiu, K.-C., see Ouazzani 91 (1988) 497
Chou, Y.C., see Lee 91 (1988) 169
Chou, Y.H., see Huang 91 (1988) 402
Ciszek, T.F., J.P. Goral, C.D. Evans and H. Katayama-Yoshida, Crystal growth and superconducting phase formation from Bi–Ca–Sr–Cu–O liquids 91 (1988) 312
Ciszek, T.F. and C.D. Evans, A simple high-pressure furnace for liquid-encapsulated Bridgman/Stockbarger crystal growth 91 (1988) 533

Cockayne, B., P.J. Wright, A.J. Armstrong, A.C. Jones and E.D. Orrell, Single crystal growth by MOCVD of zinc-based chalcogenides using new group II adduct sources 91 (1988) 57
Cockayne, B., see Wright 91 (1988) 63
Cockayne, B., see Halsall 91 (1988) 135
Cochrane, J., see Vaile 91 (1988) 450
Cochrane, H.D., see Baird 91 (1988) 610
Coquerel, G., G. Perez et P. Hartman, Croissance d'un énantiomère en milieu quasi-racémique: cas du dichloroacétate de norfenfluramine (E) 91 (1988) 246
Coriell, S.R., see McFadden 91 (1988) 180
Costa, G.A., M. Ferretti and G.L. Olcese, Sintering and melting characteristics of $YBa_2Cu_3O_{7-x}$ oxides obtained from the "barium peroxide reaction" 91 (1988) 392
Courtney, S., see Astles 91 (1988) 1

Dam, B., see Kentgens 91 (1988) 355
Darlington, C.N.W., D.A. O'Connor and C.A. Hollin, Preparation of superconducting crystals of YBCO 91 (1988) 308
Davies, J.J., see Halsall 91 (1988) 135
Davis, S.H., see Brattkus 91 (1988) 538
De Miguel, J.J., J. Ferrón, A. Cebollada, J.M. Gallego and S. Ferrer, Monte Carlo simulation of the growth of a Cu(100) surface from its own vapor; island nucleation and step propagation growth modes 91 (1988) 481
De Vries, J.W.C., see Klee 91 (1988) 346
Demianets, L.N., see Bykov 91 (1988) 302
Desai, C.C. and M.S.V. Ramana, Growth and properties of ferroelectric lead hydrogen phosphate and lead nitrate phosphate single crystals 91 (1988) 126
Dhalenne, G., see Trouilleux 91 (1988) 268
Dodson, B.W., An empirical relation for semiconductor strained-layer relaxation 91 (1988) 649

Efimov, Yu.Ya. and B.Z. Gorbunov, The dependence of specific interface energy on the size of contact area between a nucleus and a substrate: cause and effect 91 (1988) 119
Eguchi, M., see Kakimoto 91 (1988) 509
El Hammadi, A., see Maury 91 (1988) 97
El Hammadi, A., see Maury 91 (1988) 105
Evans, C.D., see Ciszek 91 (1988) 312
Evans, C.D., see Ciszek 91 (1988) 533

Feigelson, R.S., see Tang 91 (1988) 81
Feigelson, R.S., see Gazit 91 (1988) 318
Ferrer, S., see De Miguel 91 (1988) 481
Ferretti, M., see Costa 91 (1988) 392
Ferrón, J., see De Miguel 91 (1988) 481
Flüeli, M. and J.-P. Borel, Surface energy anisotropy measurements on a small cuboctahedron of gold observed by high resolution electron microscopy (HREM) 91 (1988) 67
Franzosi, P., G. Salviate, M. Scaffardi, R. Audino and F. Taiariol, Inclusion-like defects in InP substrates and related defects in heteroepitaxial and Zn diffused layers 91 (1988) 90
Fujii, M., H. Iwanaga and N. Shibata, Rotation twins in GaP whiskers 91 (1988) 229
Fujii, T., see Takenaka 91 (1988) 173
Fujii, T., see Nakata 91 (1988) 655
Fujioka, J., A mathematical model for electrocrystallization under linear sweep voltammetry conditions 91 (1988) 147
Fulop, V., see Halász 91 (1988) 444

Gabbe, D.R., see Picone 91 (1988) 463
Gallego, J.M., see De Miguel 91 (1988) 481
Gazit, D. and R.S. Feigelson, Laser-heated pedestal growth of high T_c Bi–Sr–Ca–Cu–O superconducting fibers 91 (1988) 318
Gevelber, M.A., G. Stephanopoulos and M.J. Wargo, Dynamics and control of the Czochralski process. II. Objectives and control structure design 91 (1988) 199
Gill, W.N., see Ananth 91 (1988) 587
Ginley, D.S., B. Morosin, R.J. Baughman, E.L. Venturini, J.E. Schirber and J.F. Kwak, Growth of crystals and effects of oxygen annealing in the Bi–Ca–Sr–Cu–O and Tl–Ca–Ba–Cu–O superconductor systems 91 (1988) 456
Giovanola, B., see Kurz 91 (1988) 123
Gómez de Salazar, J.M., see Campá 91 (1988) 334
Goral, J.P., see Ciszek 91 (1988) 312
Gorbunov, B.Z., see Efimov 91 (1988) 119
Greene, J.E., see Shah 91 (1988) 71
Gutiérrez Puebla, E., see Campá 91 (1988) 334

Haga, T., see Imai 91 (1988) 617
Halász, I., V. Fulop, I. Kirschner and T. Porjesz, Thermoanalytical and X-ray diffraction investigations of $Ba_2Cu_3O_{5+d}$ for preparation of Y–Ba–Cu–O superconductors 91 (1988) 444
Halsall, M.P., J.J. Davies, J.E. Nicholls, B. Cockayne, P.J. Wright and G.J. Russell, Growth and assessment of CdS and CdSe layers produced on GaAs by metalorganic chemical vapour deposition 91 (1988) 135
Han Zheng-he, K. Tsushima, N. Karpe, H. Medelius, K. Jacobson and K.V. Rao, Preparation and electronic properties of reactive magnetron sputter-deposited Bi–Ca–Sr–Cu–O thin film high-T_c superconductors 91 (1988) 363
Hartman, P., see Coquerel 91 (1988) 246
Hayashi, S., see Inoue 91 (1988) 287

Hayashi, S., T. Ohno, T. Inoue and H. Komatsu, Growth of $ErBa_2Cu_3O_{7-\delta}$ single crystals from high temperature solution 91 (1988) 331
Haycock, P.W., see Chen 91 (1988) 659
Hervieu, M., see Bouteloup 91 (1988) 418
Hibiya, T., see Kakimoto 91 (1988) 509
Hikita, M., see Iwata 91 (1988) 274
Hikita, M., see Konaka 91 (1988) 278
Hikita, M., T. Iwata, Y. Tajima and A. Katsui, Growth of superconducting single-crystal Bi–Sr–Ca–Cu–O compounds 91 (1988) 282
Hill, H., see Astles 91 (1988) 1
Hills, C.R., see Biefeld 91 (1988) 515
Hollin, C.A., see Darlington 91 (1988) 308
Holmes, D.E., H. Kuwamoto, C.J. Sandberg and S.L. Johnston, Dislocation reduction in large-diameter LEC GaAs growth. I. Low gradient growth and indium doping 91 (1988) 557
Holmes, D.E., see Kuwamoto 91 (1988) 567
Hon, M.H., see Wang 91 (1988) 155
Hong, M., J. Kwo and J.-J. Yeh, High critical current superconducting Bi–Sr–Ca–Cu–O films by sputtering 91 (1988) 382
Hottenhuis, M.H.J. and C.B. Lucasius, The role of impurities on the process of growing potassium hydrogen phthalate crystals from solution; a quantitative approach 91 (1988) 623
Housley, R.M., see Keester 91 (1988) 295
Huang, T.W., N.C. Wu, Y.H. Chou, W.T. Lin, T.C. Wu, T.S. Chin, P.T. Wu, H.H. Yen and Y.C. Chen, The formation of superconducting $YBa_2Cu_3O_{7-x}$ through solid state reaction 91 (1988) 402
Hudner, J., H. Ohlsén and L. Stolt, Mass-spectrometer controlled coevaporation of Y–Ba–Cu–O thin films on alumina substrates 91 (1988) 368
Hunter, A. and A.H. Kitai, A novel atmospheric pressure technique for the deposition of ZnS by atomic layer epitaxy using dimethylzinc 91 (1988) 111

Ichikawa, Y., see Adachi 91 (1988) 352
Imai, K., K. Kumazaki, T. Haga and Y. Abe, Optimal crystal growth condition of ZnSe grown by molecular beam epitaxy 91 (1988) 617
Inoue, R., see Tanaka 91 (1988) 141
Inoue, T., S. Hayashi, M. Shimizu and H. Komatsu, Growth conditions and twin formation in $DyBa_2Cu_3O_y$ crystals 91 (1988) 287
Inoue, T., see Hayashi 91 (1988) 331
Ishiguro, T., see Anzai 91 (1988) 225
Itoh, T., M. Uzawa and H. Uchikawa, Formation processes of polycrystalline $LnBa_2Cu_3O_x$ (Ln = La, Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm, Yb and Lu) 91 (1988) 397
Itoh, T. and H. Uchikawa, Preparation and microprobe analysis of Tl–Ba–Ca–Cu–O superconductors 91 (1988) 414
Itoh, T., H. Uchikawa and M. Uzawa, Chemical analyses of a superconducting Bi–Sr–Ca–Cu–O ceramic by electron probe X-ray microanalyzer 91 (1988) 430
Iwanaga, H., see Tomizuka 91 (1988) 27
Iwanaga, M., see Fujii 91 (1988) 229
Iwata, T., Y. Tajima and M. Hikita, Crystal growth of Ba–Nd–Cu–O compounds 91 (1988) 274
Iwata, T., see Hikita 91 (1988) 282

Jacobson, K., see Han Zheng-he 91 (1988) 363
Jenssen, H.P., see Picone 91 (1988) 463
Johnston, S.L., see Holmes 91 (1988) 557
Jones, A.C., see Cockayne 91 (1988) 57
Jones, A.C., see Wright 91 (1988) 63

Kakimoto, K., M. Eguchi, H. Watanabe and T. Hibiya, In-situ observation of solid–liquid interface shape by X-ray radiography during silicon single crystal growth 91 (1988) 509
Kanber, H., H.T. Yang, T. Zielinski and J.M. Whelan, Origin and reduction of impurities at GaAs epitaxial layer–substrate interfaces 91 (1988) 632
Kaneko, T., T. Okuno and H. Yumoto, Growth kinetics of silicon carbide CVD 91 (1988) 599
Kanunnikov, G.V., see Bykov 91 (1988) 302
Karlicek, Jr., R.F., The growth of iron doped semi-insulating InP by hydride vapor phase epitaxy in a nitrogen ambient 91 (1988) 33
Karpe, N., see Han Zheng-he 91 (1988) 363
Katayama-Yoshida, H., see Ciszek 91 (1988) 312
Katsui, A. and H. Ohtsuka, Solution growth of Bi–Sr–Ca–Cu–O compounds using alkali chlorides 91 (1988) 261
Katsui, A., see Hikita 91 (1988) 282
Keester, K.L., R.M. Housley and D.B. Marshall, Growth and characterization of large $YBa_2Cu_3O_{7-x}$ single crystals 91 (1988) 295
Kentgens, A.P.M., A.H. Carim and B. Dam, Transmission electron microscopy of thin $YBa_2Cu_3O_{7-x}$ films on (001) $SrTiO_3$ prepared by DC triode sputtering 91 (1988) 355
Kim, Y.J., see Wang 91 (1988) 50
Kirschner, I., see Halász 91 (1988) 444
Kitai, A.H., see Hunter 91 (1988) 111
Klee, M., W. Brand and J.W.C. de Vries, Superconducting films in the Y–Ba–Cu–O system made by thermal decomposition of metal carboxylates 91 (1988) 346
Kojima, N., see Tanaka 91 (1988) 141
Komatsu, H., see Inoue 91 (1988) 287
Komatsu, H., see Hayashi 91 (1988) 331

Konaka, T., I. Sankawa, M. Sato and M. Hikita, New procedure for single crystal growth of $YBa_2Cu_3O_x$ 91 (1988) 278
Kotru, P.N. and K.K. Raina, Spherulitic crystallization of pure (Nd and Dy) and mixed (Di) rare earth tartrates in silica gel 91 (1988) 221
Kou, S., see Wang 91 (1988) 50
Koyama, T., T. Yodo, H. Oka, K. Yamashita and T. Yamasaki, Growth of ZnSe single crystals by iodine transport 91 (1988) 639
Kumazaki, K., see Imai 91 (1988) 617
Kung, J.H., see Yang 91 (1988) 439
Kuniya, Y., see Oikawa 91 (1988) 471
Kuramata, A., see Takenaka 91 (1988) 173
Kurz, W., B. Giovanola and R. Trivedi, Microsegregation in rapidly solidified Ag–15wt%Cu 91 (1988) 123
Kuwamoto, H., see Holmes 91 (1988) 557
Kuwamoto, H. and D.E. Holmes, Dislocation reduction in large-diameter LEC GaAs growth. II. Microstructural characterization 91 (1988) 567
Kwak, J.F., see Ginley 91 (1988) 456
Kwo, J., see Hong 91 (1988) 382

Laudise, R.A. and L.F. Schneemeyer, Introduction to the Second Special Issue of the Journal of Crystal Growth on High-T_c Superconductors 91 (1988) 253
Lee, C.T. and Y.C. Chou, Types of oval defects on GaAs grown by MBE 91 (1988) 169
Lee, H.H., Design of an experimental reactor for intrinsic kinetics of chemical vapor deposition 91 (1988) 234
Lee, S.R., see Biefeld 91 (1988) 515
Lehoczky, S.L., see Ching-Hua Su 91 (1988) 20
Lejay, P., see Yavari 91 (1988) 290
Levi, A.F.J., J.M. Vandenberg, C.E. Rice, A.P. Ramirez, K.W. Baldwin, M. Anzlowar, A.E. White and K. Short, Epitaxial order and resistivity of high temperature superconductors grown on $SrTiO_3$ 91 (1988) 386
Lin, W.T., see Huang 91 (1988) 402
Lucasius, C.B., see Hottenhuis 91 (1988) 623

Marshall, D.B., see Keester 91 (1988) 295
Mashita, M., see Oikawa 91 (1988) 471
Matějková, L., see Nevřiva 91 (1988) 434
Mathew, T., see Arora 91 (1988) 246
Matthews, D.N., T. Puzzer, A. Bailey, N. Mondinos, G. Alvarez, G.J. Russell and K.N.R. Taylor, Surface texturing of bulk $YBa_2Cu_3O_{7-\delta}$ samples 91 (1988) 410
Matthews, D.N., see Vaile 91 (1988) 450
Maury, F. and A. El Hammadi, Mass spectrometric study of the pyrolysis of organometallic precursors usable in GaAs vapor phase epitaxy. I. The fluorine-containing derivatives $(C_6F_5)_{3-n}Me_nGaAsEt_3$ 91 (1988) 97
Maury, F. and A. El Hammadi, Mass spectrometric study of the pyrolysis of organometallic precursors usable in GaAs vapor phase epitaxy. II. The diarsine adducts $[ClR_2GaAsEt_2]_2CH_2$ (R = Me, Et) 91 (1988) 105
McAllister, T., Enthalpy change in MOVPE preparation of mercury cadmium telluride 91 (1988) 218
McFadden, G.B., S.R. Coriell and R.F. Sekerka, Effect of surface tension anisotropy on cellular morphologies 91 (1988) 180
Medelius, H., see Han Zheng-he 91 (1988) 363
Melnikov, O.K., see Bykov 91 (1988) 302
Menken, M.J.V. and A.A. Menovsky, The crystal growth of $REBa_2Cu_3O_{7-x}$ (RE = Y and Er) high-T_c superconducting compounds 91 (1988) 264
Menovsky. A.A., see Menken 91 (1988) 264
Mercey, B., see Boutelop 91 (1988) 418
Miller, A.E., see Nassau 91 (1988) 373
Ming, Nai-ben, K. Tsukamoto, I. Sunagawa and A.A. Chernov, Stacking faults as self-perpetuating step sources 91 (1988) 11
Miyauchi, E., see Nakata 91 (1988) 655
Mondinos, N., see Matthews 91 (1988) 410
Mondinos, N., see Vaile 91 (1988) 450
Monge, M.A., see Campá 91 (1988) 334
Monod, P., see Trouilleux 91 (1988) 268
Morishita, M., see Oikawa 91 (1988) 471
Morosin, B., see Ginley 91 (1988) 456
Murray, H., see Bouteloup 91 (1988) 418

Nakajima, K., see Takenaka 91 (1988) 173
Nakata, Y., T. Fujii, A. Sandhu, Y. Sugiyama and E. Miyauchi, Growth and characterization of $GaAs_{0.5}Sb_{0.5}$ lattice-matched to InP by molecular beam epitaxy 91 (1988) 655
Nancollas, G.H., see Budz 91 (1988) 490
Nassau, K. and A.E. Miller, Strontium titanate: an index to the literature on properties and the growth of single crystals 91 (1988) 373
Nevřiva, M., E. Pollert, L. Matějková and A. Tříska, On the determination of the $CuO–BaCuO_2$ and $CuO–YCuO_{2.5}$ binary phase diagrams 91 (1988) 434
Nicholls, J.E., see Halsall 91 (1988) 135
Nuculescu, H., see Wójcik 91 (1988) 255

O'Connor, D.A., see Darlington 91 (1988) 308
Ohlsén, H., see Hudner 91 (1988) 368
Ohno, T., see Hayashi 91 (1988) 331
Ohno, T., Growth of fine particles of binary alkali halide systems prepared by gas-evaporation technique 91 (1988) 576
Ohtsuka, H., see Katsui 91 (1988) 261

Oikawa, S., M. Tsuda, M. Morishita, M. Mashita and Y. Kuniya, Elementary process of the thermal decomposition of alkyl gallium 91 (1988) 471
Oka, H., see Koyama 91 (1988) 639
Okamoto, Y., see Zikumaru 91 (1988) 647
Okuno, T., see Kaneko 91 (1988) 599
Olcese, G.L., see Costa 91 (1988) 392
Orrell, E.D., see Cockayne 91 (1988) 57
Orrell, E.D., see Wright 91 (1988) 63
Ouazzani, J., K.-C. Chiu and F. Rosenberger, On the 2D modelling of horizontal CVD reactors and its limitations 91 (1988) 497
Oyamada, R., see Tanaka 91 (1988) 141

Pajączkowska, A., see Wójcik 91 (1988) 255
Perez, G., see Coquerel 91 (1988) 246
Perry, G.L.E., see Ching-Hua Su 91 (1988) 20
Picone, P.J., H.P. Jenssen and D.R. Gabbe, Phase diagram and single crystal growth of pure and Sr doped La_2CuO_4 91 (1988) 463
Pollert, E., see Nevřiva 91 (1988) 434
Porjesz, T., see Halász 91 (1988) 444
Poullain, G., see Bouteloup 91 (1988) 418
Prester, M., see Stubičar 91 (1988) 423
Puzzer, T., see Matthews 91 (1988) 410
Puzzer, T., see Vaile 91 (1988) 450

Raccah, P.M., see Shah 91 (1988) 71
Raina, K.K., see Kotru 91 (1988) 221
Ramana, M.S.V., see Desai 91 (1988) 126
Ramirez, A.P., see Levi 91 (1988) 386
Rao, K.V., see Han Zheng-he 91 (1988) 363
Rasines, I., see Campá 91 (1988) 334
Raveau, B., see Bouteloup 91 (1988) 418
Revcolevschi, A., see Trouilleux 91 (1988) 268
Rice, C.E., see Levi 91 (1988) 386
Ristić, R.I., J.N. Sherwood and K. Wojciechowski, Assessment of the strain in small sodium chlorate crystals and its relation to growth rate dispersion 91 (1988) 163
Rosenberger, F., see Ouazzani 91 (1988) 497
Rosochowska, M., see Wójcik 91 (1988) 255
Rouillon, T., see Bouteloup 91 (1988) 418
Route, R.K., see Tang 91 (1988) 81
Ruíz Valero, C., see Campá 91 (1988) 334
Russell, G.J., see Halsall 91 (1988) 135
Russell, G.J., see Matthews 91 (1988) 410
Russell, G.J., see Vaile 91 (1988) 450

Salviate, G., see Franzosi 91 (1988) 90
Sandberg, C.J., see Holmes 91 (1988) 557
Sandhu, A., see Nakata 91 (1988) 655
Sankawa, I., see Konaka 91 (1988) 278
Sato, M., see Konaka 91 (1988) 278
Sawada, A., see Sugiyama 91 (1988) 527
Scaffardi, M., see Franzosi 91 (1988) 90
Schirber, J.E., see Ginley 91 (1988) 456
Schneemeyer, L.F., see Laudise 91 (1988) 253
Sealey, K., see Vaile 91 (1988) 450
Sekerka, R.F., see McFadden 91 (1988) 180
Seth, G.L., see Bagai 91 (1988) 605
Setsune, K., see Adachi 91 (1988) 352
Shah, S.I., J.E. Greene, L.L. Abels and P.M. Raccah, Epitaxial metastable $(GaSb)_{1-x}(Ge_{2(1-y)}Sn_{2y})_x$ quaternary alloys on GaAs(100): crystal growth, structure, and Raman scattering 91 (1988) 71
Shaw, N., see Astles 91 (1988) 1
Sherwood, J.N., see Ristič 91 (1988) 163
Shibata, N., see Tomizuka 91 (1988) 27
Shibata, N., see Fujii 91 (1988) 229
Shimizu, M., see Inoue 91 (1988) 287
Short, K., see Levi 91 (1988) 386
Spoors, G., see Baird 91 (1988) 610
Stephanopoulos, G., see Gevelber 91 (1988) 199
Stishov, S.M., see Bykov 91 (1988) 302
Stolt, L., see Hudner 91 (1988) 368
Stubičar, M., M. Tuda, V. Žerjav, N., Stubičar, M. Prester and N. Brničević, Microstructural and microhardness study of the $La_{2-x}Sr_xCuO_4$ high-temperature ceramic superconducting system 91 (1988) 423
Su, Ching-Hua, G.L.E. Perry, F.R. Szofran and S.L. Lehoczky, Compositional redistribution during casting of $Hg_{0.8}Cd_{0.2}Te$ alloys 91 (1988) 20
Sugiyama, K. and A. Sawada, Preparation of $CuGaSe_2$ crystals from Te solutions 91 (1988) 527
Sugiyama, K., see Nakata 91 (1988) 655
Sunagawa, I., see Nai-ben Ming 91 (1988) 11
Szofran, F.R., see Ching-Hua Su 91 (1988) 20

Taiariol, F., see Franzosi 91 (1988) 90
Tajima, Y., see Iwata 91 (1988) 274
Tajima, Y., see Hikita 91 (1988) 282
Takahashi, K., see Anzai 91 (1988) 225
Takenaka, C., T. Fujii, A. Kuramata, S. Yamazaki and K. Nakajima, Design of the optimum reactor chamber for uniform InP epilayer thickness profiles grown by MOVPE 91 (1988) 173
Tanaka, I., R. Inoue, H. Kojima and R. Oyamada, Single crystal growth of Tantalite ($(Fe,Mn)(Ta,Nb)_2O_6$) solid solutions 91 (1988) 141
Tang, D.Y., R.K. Route and R.S. Feigelson, Growth of barium metaborate (BaB_2O_4) single crystal fibers by the laser-heated pedestal growth method 91 (1988) 81
Taylor, K.N.R., see Matthews 91 (1988) 410
Taylor, K.N.R., see Vaile 91 (1988) 450
Thomas, P.A., see Chen 91 (1988) 659
Tokumoto, M., see Anzai 91 (1988) 225

Tomizuka, A., H. Iwanaga and N. Shibata, Morphology and rotation twin of CuCl and CuBr crystals 91 (1988) 27
Tříska, A., see Nevřiva 91 (1988) 434
Trivedi, R., see Kurz 91 (1988) 123
Trouilleux, L., G. Dhalenne, A. Revcolevschi and P. Monod, Growth and anisotropic magnetic behaviour of aligned eutectic-type structures in the system $La_{2-x}Sr_xCuO_4$–copper oxide 91 (1988) 268
Tsuda, M., see Oikawa 91 (1988) 471
Tsukamoto, K., see Nai-ben Ming 91 (1988) 11
Tsushima, K., see Han Zheng-he 91 (1988) 363
Tuda, M., see Stubičar 91 (1988) 423

Uchikawa, H., see Itoh 91 (1988) 397
Uchikawa, H., see Itoh 91 (1988) 414
Uchikawa, H., see Itoh 91 (1988) 430
Uzawa, M., see Itoh 91 (1988) 397
Uzawa, M., see Itoh 91 (1988) 430

Vaile, R.A., S. Bosi, T. Puzzer, A. Bailey, J. Cochrane, N. Mondinos, K. Sealey, G.J. Russell, D.N. Matthews, M. Aristides and K.N.R. Taylor, Superconductivity in the Bi–Sr–Ca–Cu oxide compositional diagram 91 (1988) 450
Vandenberg, J.M., see Levi 91 (1988) 386
Venturini, E.L., see Ginley 91 (1988) 456

Wang, M.C., M.H. Hon and F.S. Yen, Growth behaviour and morphology of lithium–calcium aluminosilicate (LCAS) glasses 91 (1988) 155
Wang, Y.H., Y.J. Kim and S. Kou, Thermal measurement and computer modeling of heat and fluid flow in crystal growth by Ohno continuous casting 91 (1988) 50
Wanklyn, B.M., see Chen 91 (1988) 659
Wargo, M.J., see Gevelber 91 (1988) 199
Wasa, K., see Adachi 91 (1988) 352
Watanabe, H., see Kakimoto 91 (1988) 509
Watts, B.E., see Chen 91 (1988) 659
Whelan, J.M., see Kanber 91 (1988) 632
White, A.E., see Levi 91 (1988) 386
Witt, A.F., see Carlson 91 (1988) 239
Witt, A.F., see Carlson 91 (1988) 652
Wojciechowski, K., see Ristić 91 (1988) 163
Wójcik, J., M. Rosochowska, H. Nuculescu and A. Pajączkowska, Crystal growth and thermal analysis of $YBa_2Cu_3O_{7-\delta}$ 91 (1988) 255
Wolf, S.A., see Broussard 91 (1988) 340
Wright, P.J., see Cockayne 91 (1988) 57
Wright, P.J., B. Cockayne, A.C. Jones and E.D. Orrell, The growth by MOCVD of low-doped p-type GaAs using a dimethyl-zinc adduct 91 (1988) 63
Wright, P.J., see Halsall 91 (1988) 135
Wu, N.C., see Huang 91 (1988) 402
Wu, P.T., see Huang 91 (1988) 402
Wu, P.T., see Yang 91 (1988) 439
Wu, T.C., see Huang 91 (1988) 402

Yamasaki, T., see Koyama 91 (1988) 639
Yamashita, K., see Koyama 91 (1988) 639
Yamashita, S., see Zikumaru 91 (1988) 647
Yamazaki, S., see Takenaka 91 (1988) 173
Yang, H.T., see Kanber 91 (1988) 632
Yang, N., J.H. Kung and P.T. Wu, High T_c superconductivity and microstructural control of Y–Ba–Cu–O by copper stoichiometry 91 (1988) 439
Yavari, A.R. and P. Lejay, High T_c superconductivity in rapidly solidified BiCaSrCuO 91 (1988) 290
Yeh, J.-J., see Hong 91 (1988) 382
Yen, F.S., see Wang 91 (1988) 155
Yen, H.H., see Huang 91 (1988) 402
Yodo, T., see Koyama 91 (1988) 639
Yumoto, H., see Kaneko 91 (1988) 599

Žerjav, V., see Stubičar 91 (1988) 423
Zibrov, I.P., see Bykov 91 (1988) 302
Zielinski, T., see Kanber 91 (1988) 632
Zikumaru, Y., S. Yamashita and Y. Okamoto, Two simple methods for growing γ-phase crystals of para-dichlorobenzene 91 (1988) 647

Journal of Crystal Growth 91 (1988) 672–675
North-Holland, Amsterdam

SUBJECT INDEX

Adducts 57, 63, 97, 105
Adsorption 147, 246, 652
Alkali
– halides 576
Alloys 123, 180
Apparatus
– for melt growth
– – by Czochralski method
– – – of gallium arsenide 199, 557
– – – of silicon 509
– – by laser heated pedestal growth
– – – of barium metaborate 81
– – by Ohno continuous casting
– – – of tin 50
– for thin film growth
– – by atomic layer epitaxy
– – – of zinc sulphide 111
– – by liquid phase epitaxy
– – – of mercury cadmium telluride 1
– – by vapor phase epitaxy
– – – through chemical vapor deposition
– – – – for determination of intrinsic kinetics 234
– – – through metalorganic chemical vapor deposition
– – – – of gallium arsenide 97
– – – – of indium phosphide 173
– – – – of silicon 599
– for miscellaneous purposes
– – high pressure directional solidification 533

Barium
– copper oxide 434, 444
– metaborate 81
– organic 346
Bismuth
– calcium strontium copper oxide 261, 282, 290, 312, 318, 352, 363, 382, 430, 450, 456

Cadmium
– mercury telluride 1, 20, 218
– organic 135, 218
– selenide 135
– sulphide 135
– telluride 605
Calcium
– hydroxyapatite 490
Cellular growth 123, 180
Characterization methods
– by absorption spectroscopy 33, 239, 567, 652
– by activation analysis 225
– by atomic absorption spectrometry 302
– by Auger electron spectroscopy 111, 599
– by cathodoluminescence 57
– by differential scanning calorimetry 126
– by differential thermal analysis 255, 274, 278, 287, 302, 318, 392, 402, 434, 444, 463, 657
– by electrical methods 33, 63, 239, 246, 278, 282, 295, 312, 346, 352, 363, 373, 382, 423, 557, 639, 652, 655
– by electron diffraction 282
– by electron microscopy 20, 27, 39, 67, 71, 90, 111, 135, 141, 155, 169, 221, 229, 264, 274, 282, 290, 302, 312, 318, 334, 346, 355, 368, 392, 410, 418, 423, 439, 456, 515, 576, 610, 639
– by electron probe microanalysis 126, 274, 278, 282, 414, 430, 659
– by ellipsometry 617
– by fluorescence 141
– by hardness 295, 423
– by inductively coupled plasma spectrometry 63, 623
– by interferometry 39
– by magnetic properties 264, 268, 282, 308, 373, 386, 439, 456
– by mass spectrometry 97, 105
– by mechanical methods 126
– by nuclear quadrupole resonance 647
– by optical microscope 141, 163, 169, 221, 229, 239, 246, 264, 274, 287, 295, 302, 318, 331, 423, 515, 557, 599, 605, 623, 639, 652
– by optical properties 373, 617
– by photoluminescence 135, 525, 655
– by Raman spectroscopy 71, 647
– by reflection high energy electron diffraction 135
– by resistivity 274, 278, 282, 290, 302, 318, 331, 346, 352, 363, 368, 382, 386, 402, 418, 430, 439, 444, 450, 456, 463
– by Rutherford backscattering 355, 368, 382, 386, 617
– by secondary ion mass spectrometry 1, 33, 57, 111, 632
– by spark source mass spectrometry 1
– by structural properties 373
– by thermogravimetry 278, 302, 402, 444, 659
– by transmission spectroscopy 20, 246, 652
– by X-ray techniques 20, 27, 57, 71, 90, 111, 126, 141, 155, 163, 225, 229, 255, 261, 264, 268, 274, 278, 282, 290, 295, 302, 308, 312, 331, 334, 346, 352, 355, 363, 382, 386, 392, 397, 402, 410, 414, 418, 430, 434, 439, 444, 450, 456, 509, 515, 527, 567, 576, 599, 605, 610, 659
Computer simulation 11, 50, 119, 180, 481, 497
Constitutional supercooling 180
Convection 239, 497, 538, 587
Copper 481
– (I) bromide 27
– (I) chloride 27
– gallium diselenide 527
– organic 346

– silver indium diselenide 533
– tungstate 246

Dendritic growth 27, 39, 123, 587
p-Dichlorobenzene 647
Diffusional control 39, 610
Dislocations 11, 90, 119, 126, 163, 334, 515, 557, 567, 605, 639, 649
Dissolution 39, 490
Distribution coefficient 1, 123, 623
Dopants 33, 239, 557, 652
Dysprosium
– barium copper oxide 287

Enantiomorphy 246
Erbium
– barium copper oxide 264, 331
Etching
– chemical 27, 63, 126, 605, 632, 639
– thermal 632
Eutectic growth 246, 268, 456

Fiber optics 81

Gadolinium
– barium copper oxide 334
Gallium
– antimonide/germanium tin alloy 71
– arsenide 63, 97, 105, 169, 199, 239, 497, 567, 632
– arsenide antimonide 655
– organic 471
– phosphide 229
Gas flow control 173
Gold 67

Heat flow control 50, 199, 538
Heterojunction 90, 649

Ice 119
Impurity 1, 239, 246, 490, 623, 632
Inclusions 81, 90
Indium
– arsenide antimonide 515
– gallium arsenide 90
– gallium arsenide phosphide 90
– organic 173
– phosphide 33, 90, 173, 533
Interface 11, 50, 119, 355, 509, 632, 649
Iron
– manganese niobium tantalate 141

Kinetics
– of dissolution 490
– of growth 11, 33, 39, 81, 111, 123, 126, 147, 163, 169, 355, 397, 481, 497, 576, 599, 617, 623, 639
– of interface control 355, 490, 599, 632
– of nucleation 11, 119, 147
– of thermal decomposition 471

Lanthanide barium copper oxides 397
Lanthanum
– strontium cuprate 268, 302, 423, 463, 659
Lattice mismatch 355, 515, 567, 655
Lead
– hydrogen phosphate 126
– nitrate phosphate 126
Lithium
– calcium aluminosilicate glasses 155

Magnesium
– hydroxide 610
Mathematical model 147
Melt growth technique
– by Czochralski method
– – of gallium arsenide 199, 239, 557, 567
– of indium phosphide 90
– of lanthanum strontium cuprate 302
– of silicon 509, 652
– theory of 199
– by floating zone method
– – of barium metaborate 81
– – of bismuth calcium strontium copper oxide 318
– – of iron manganese niobium tantalate 141
– by liquid encapsulated directional solidification
– – of copper silver indium diselenide 53
– – of indium phosphide 533
– by Ohno continuous casting
– – of tin 50
– by rapid solidification
– – of bismuth calcium strontium copper oxide 290
– by uniaxial solidification
– – of binary alloy 538
– – of bismuth calcium strontium copper oxide 282
– – of lanthanum strontium cuprate 268
– – of silver copper alloy 123
– by Verneuil method
– – of strontium titanate 373
– by water quenching
– – of lanthanide barium copper oxides 334
– by zone melting
– – of bismuth calcium strontium copper oxide 456
– – of thallium barium calcium copper oxide 456
Mercury
– cadmium telluride 1, 20, 218
Microgravity 20, 587
Monte Carlo method 481
Morphological stability 180, 587, 649
Morphology of growth 11, 27, 67, 111, 119, 126, 135, 155, 221, 225, 229, 246, 255, 268, 274, 282, 410, 439, 456, 481, 576, 610

Neodymium
– barium copper oxide 274, 334
Nucleation 11, 119, 147, 221, 481, 567, 610
Numbers
– Grashof 234, 538, 587
– Nusselt 234

– Peclet 587
– Prandtl 538
– Rayleight 234, 497
– Reynolds 39, 234, 497, 538, 587
– Schmidt 39, 538

Organic crystals 225, 246, 623, 647

Perfection of crystals 11, 81, 90, 111, 119, 163, 169, 199, 239, 246, 444, 481, 605, 649
Periodic bond chain theory 246
Phase diagrams 71, 81, 255, 264, 268, 302, 318, 373, 397, 434, 450, 463, 527, 576, 659
Phenomenological theory 221, 246
Potassium
– hydrogen phthalate 623
Precursor 57, 97, 105, 414, 434, 444

Rare earth
– tartrates 221

Segregation 123, 199, 239
Silicon 509, 652
– carbide 599
– organic 599
Silver
– copper alloy 123
Sodium
– chlorate 163
– perborate 39
Solid growth technique
– by polymorphic transformation
– – of glasses 155
– – of lanthanide barium copper oxides 397
– by recrystallization
– – of p-dichlorobenzene 647
– – of glasses 155
– – of lanthanum strontium cuprate 423
– – of mercury cadmium telluride 20
– by solid state reaction
– – of barium copper oxide 444
– – of bismuth calcium strontium copper oxide 430, 450
– – of thallium barium calcium copper oxide 444
– – of yttrium barium copper oxide 402
Solution growth technique
– by electrocrystallization
– – bis(ethylene dithio)tetra thiofulvalene 225
– by flux method
– – of barium metaborate 81
– – of bismuth calcium strontium copper oxide 261, 312
– – of copper gallium diselenide 527
– – of copper tungstate 246
– – of dysprosium barium copper oxide 287
– – of erbium barium copper oxide 264, 331
– – of lanthanide barium copper oxides 334
– – of lanthanum strontium cuprate 463, 659
– – of neodymium barium copper oxide 274
– – of yttrium barium copper oxide 255, 264, 278, 295, 302, 398, 410, 439
– by gel method
– – of lead hydrogen phosphate 126
– – of lead nitrate phosphate 126
– – of magnesium hydroxide 610
– – of rare earch tartrates 221
– by low temperature method
– – of calcium hydroxyapatite 490
– – of organic crystals 246
– – of potassium hydrogen phthalate 623
– – of sodium chlorate 163
– – of sodium perborate 39
– theory of 11
Statistical mechanics, molecular theory 119, 471
Stefan problem or moving boundary problem 50, 587
Step 11, 287, 331, 334, 623
Strain 11, 163, 649
Strontium
– titanate
– – review, properties of 373
Superconductivity 253, 255, 262, 264, 268, 274, 278, 282, 287, 290, 295, 302, 308, 312, 318, 331, 334, 340, 346, 352, 355, 363, 368, 373, 382, 386, 392, 397, 402, 414, 418, 423, 430, 434, 439, 444, 450, 456, 463, 659
– bulk 261, 264, 268, 274, 278, 282, 290, 295, 302, 308, 312, 331, 392, 402, 414, 430, 439, 450, 659
– ceramics 423, 450
– characterization 261, 264, 268, 274, 278, 282, 290, 302, 308, 312, 318, 331, 346, 352, 355, 363, 382, 386, 392, 402, 414, 418, 430, 439, 450
– crystal chemistry 255, 261, 264, 268, 274, 278, 282, 290, 302, 308, 312, 331, 346, 352, 355, 363, 382, 386, 402, 414, 430, 439, 450
– fibers 318
– high T_c 253, 255, 262, 264, 268, 274, 278, 282, 287, 290, 295, 302, 308, 312, 318, 331, 334, 340, 346, 352, 355, 363, 368, 373, 382, 386, 392, 397, 402, 414, 418, 423, 430, 434, 439, 444, 450, 456, 463, 659
– phase relationships 255, 264, 268, 302, 318, 402, 659
– thin films 340, 346, 352, 355, 363, 382, 386, 418
Supercooling, supersaturation 81, 123, 163, 647
Superlattices 456, 515
Surface energy, determination of 67, 119
Surface processes, theory 180
Surface structure 439, 515

Tellurium
– organic 218
Thallium
– barium calcium copper oxide 352, 444
Thermodynamics 33, 119, 173, 218, 392, 471, 527
Thin film growth
– by atomic layer epitaxy
– – of zinc sulphide 111
– by electrocrystallization
– – theory of 147

– by liquid phase epitaxy
– – of indium gallium arsenide phosphide 90
– – of mercury cadmium telluride 1
– by molecular beam epitaxy
– – of gallium arsenide 196
– – of gallium arsenide antimonide 655
– – of indium gallium arsenide 90
– – of zinc selenide 617
– by sputtering
– – of bismuth strontium calcium copper oxide 352, 363, 382
– – of thallium barium calcium copper oxide 352
– – of yttrium barium copper oxide 355
– by vapor phase epitaxy
– – through evaporation and condensation
– – – of copper 481
– – – of yttrium barium copper oxide 368, 386, 418
– – through interdiffused multilayer process
– – – of mercury cadmium telluride 218
– – through metalorganic chemical vapor deposition
– – – of cadmium selenide 135
– – – of cadmium sulphide 135
– – – of gallium arsenide 63, 97, 105, 497, 632
– – – of indium arsenide antimonide 515
– – – of indium phosphide 173
– – – of silicon 599
– – – of yttrium barium copper oxide 346
– – through sputter deposition
– – – of gallium antimonide/germanium tin 71
Tin 50
Twinning 27, 229, 287, 295, 355
Two–six (II–VI) compounds 57

Vapor growth technique
– by chemical transport
– – of zinc selenide 639
– by evaporation and condensation
– – of alkali halide 576
– – of copper 481
– – of copper(I) bromide 27
– – of copper(I) chloride 27
– – of gold 67
– by metalorganic chemical transport
– – of zinc chalcogenides 57

Whisker growth
– of gallium phosphide 229

Ytterbium
– barium copper oxide 334
Yttrium
– barium copper oxide 255, 264, 278, 295, 302, 308, 334, 346, 368, 386, 402, 418, 439, 444
– copper oxide 434
– organic 346

Zinc
– organic 57, 63, 111
– oxide 57
– selenide 57, 617, 639
– sulphide 57, 111